



**TAFISA®**

# Thermofoil Door Manufacturer Program



Tafisa Tete-a Tete M2001



**Quick**  
Lead Times



16 Panel  
Profiles



18 Outside  
Profiles



Wrapped  
Moulding

18

Vinyl Colors



## Georgia Hardwoods Inc

Georgia Hardwoods is a leading distributor of quality plywood, lumber and hardware products. Established in 1988, we have partnered with some of the most well known and respected suppliers in the industry to provide you with the highest quality and best service available.


In 1997, Georgia Hardwoods took a giant leap into manufacturing by producing high quality raised panel doors, drawer fronts and MDF thermofoil wrapped doors. Increased demand prompted us to include the manufacturing of hardwood mouldings to complement our line of plywood and doors. In 2001, custom made dovetail drawerboxes were also added to our product line to give our customers a more complete ordering experience.

Since then, Georgia Hardwoods has invested millions of dollars in state of the art machinery and facility upgrades which enables us to be more efficient while providing the highest quality products and services. Our product line has grown to include cabinetry accents such as arch mouldings and a complete line of cabinet storage solutions.

A fully operational spray line system was installed in late 2006 and allows us to apply stain or paint finishes to most of the products we sell.

In October of 2007, we began constructing high end kitchen range hoods, butcher block countertops and kitchen accessories.

Georgia Hardwoods has a fleet of trucks from small city vans to full sized tractor trailers as well as a daily common carrier service that enables us to service the entire southeast region and beyond. Our fully stocked showroom is open six days a week and is open to the public.



Latitude West L532A



Latitude East L533A



Latitude North L530A



White Blanc M175B



First Class L583K



Natural Affinity L586K



Winter Fun M2004Y



Weekend Getaway M2003Y



Tete-a-Tete M2001Y



Tea for Two M2006Y



Sunset Cruise M2002Y



Sunday Brunch M2005Y



Stargazer M2011Y



Casting at First Light M2007Y



Apres-Ski M2015Y




Acacia Honey L591K



Urban Vibe L832K



White Chocolate L492R



Force of Nature L830K



Break Water L537A



Fashionista L582K



Rhapsody L585K




Sheer Beauty L581K



Free Sprit L580K


# Panel Profiles

Profiles shown with square outside edge OE16



**DP41**

\*Not Recommended  
for Painting



**DP41B**

\*Not Recommended  
for Painting




SLAB - Latitude West




RP21 Apres Ski



RP21 - Latitude East



**RP21**



**RP22**



RP21 - Natural Affinity




RP21 - Stargazer




RP21 - Winter Fun

# Door Designs

Wilmington




SRP  
Class: 110  
Min Size: 9½x9½"




SDP  
Class: 210  
Min Size: 7x7"

Brunswick




FRP-L  
Class: 120  
Min Size: 9½x10½"




FRP-R  
Class: 120  
Min Size: 9½x10½"

Providence




ARP  
Class: 120  
Min Size: 9½x11"




2ARP  
Class: 130  
Min Size: 9½x13"

New Hampshire




RRP  
Class: 120  
Min Size: 9½x10½"




2RRP  
Class: 130  
Min Size: 13x13"

Hartford




CRP  
Class: 120  
Min Size: 9½x11"




2CRP  
Class: 130  
Min Size: 9½x13"

New Haven




RRP-L  
Class: 120  
Min Size: 9½x10½"




RRP-R  
Class: 120  
Min Size: 9½x10½"

Bedford




FRP  
Class: 120  
Min Size: 9½x11"




2FPR  
Class: 130  
Min Size: 9½x13"

Mount Vernon




RRP-TL  
Class: 140  
Min Size: 9½x10½"




RRP-TR  
Class: 140  
Min Size: 9½x10½"

# Door Designs



ARP-TL  
Class: 130


Min Size: 9½x10½"



ARP-TR  
Class: 130


Min Size: 9½x10½"

Portsmouth



ARP-L  
Class: 120


Min Size: 9½x10½"



ARP-R  
Class: 120


Min Size: 9½x10½"

Burlington



DAP  
Class: 120


Min Size: 9½x11"



2DAP  
Class: 130


Min Size: 9½x13"

Cumberland



RQRP-L  
Class: 140

Min Size: 12x12"



RQRP-R  
Class: 140

Min Size: 12x12"


Brookhaven



Tafisa Apres Ski M2015


# Panel Profiles

Profiles shown with square outside edge OE16




**DP21**

\*Not Recommended  
for Painting




**DP24**


\*Not Recommended  
for Painting




**RP23**




**RP24**




**RP25**




**RP26**




**RP27**




**RP30**




**RP42**



**RP45**




**RP46**



**DP48**


# Edge Profiles




OE1



OE2




OE3




OE4




OE5




OE6



OE7



OE9



OE12

# Edge Profiles



OE13



OE14




OE16




OE20




OE30



OE40



OE42



OE43



OE46

# Glass Lite Panels


## Mullion Profiles

All mullions are standard 1" wide and match the inside rail profile.


The back of each door is machined out 1/2" larger to accept glass inserts.

G number below are the panel layout designs.


When choosing a door you still need to pick a panel design to determine the rail profile.




G11  
Min Size: 8x8"




G21  
Min Size: 8x8"




G22  
Min Size: 8x8"




G42  
Min Size: 10x10"




G33  
Min Size: 8x12"




G31  
Min Size: 12x8"




G44  
Min Size: 8x16"




G41  
Min Size: 16x8"




G32T  
Min Size: 10x10"



G32B  
Min Size: 10x10"




G42B  
Min Size: 12x10"




G42-P1  
Min Size: 12x15"


# Glass Lite Panels




G63  
Min Size: 10x12"




G84  
Min Size: 10x16"




G105  
Min Size: 10x20"




G93  
Min Size: 12x12"




G93B  
Min Size: 12x12"



G93C  
Min Size: 12x12"



G114  
Min Size: 16x16"



G135  
Min Size: 16x24"

# Drawerfronts


## Slab Drawerfronts

Slab drawerfronts are the most cost effective solution. Available with the same matching edge profiles any MDF/RTF door.



## Raised Panel Drawerfronts

MDF/RTF drawer fronts are priced the same as doors. Smaller fronts that have height constraints may require a narrow version of the rail to be used on the top and bottom to allow for a raised panel profile. Shown is a drawerfront with 2-3/8" side rails and 1-3/8" top and bottom rails. This front style is ordered and priced just like a standard door with a minimum of 1 sq. ft. Minimum panel reveal is dependant on profile choose. See panel profile page for minimum size requirements.




# Options


\$3.00 per finger pull

## Finger Pulls

Side rail finger pulls are available for both raw and thermofoil wrapped doors. These pulls are a 3/8" x 6-3/8" long x 1/8" deep and are machined 3/32" from the back edge of the door. This will allow the door to have an edge profile with the finger pull. Pulls are machined in the middle of the rail, on center, on any side of the door. Additional charge for finger pulls on multiple sides.




Default finger pull placements are either on center of the frame rail or stile or 1-1/2" from the corner. To determine the proper location, specify the side using T(top), B (bottom), L(left) or R(right). Then specify the location of the pull. L(left), C(center) or R(right) for the top and bottom rail, T(top), C(center) or B(bottom) for the sides. The side is determined by looking at the face of the door. The drawing to the right is for a left side, bottom placement pull.



Placements	Left	Center	Right
	T (top)	TL	TC
B (bottom)	BL	BC	BR
	Top	Center	Bottom
	L (left)	LT	LC
R (right)	RT	RC	RB

On Slab Drawer Fronts, the pull placement is always centered.

Full side finger pulls are available for doors for an additional charge. Each pull is machined 1-1/2" from the corners. This option is available for both pulls FP10 and FP20. Additional charge for finger pulls on multiple sides.



### Notes:

Minimum length side, width or height for finger pulls is 8"

Additional charge for specified length or special placement finger pulls.


# Options

## Hinge Boring \$1.50 per Hole for Standard, \$2.50 for Specified.

Door hinge boring is offered for concealed hinges. The cup is drilled 1/2" deep with a diameter of 35mm. We offer the drilling for screw on or knock in pattern for Hettich® or Blum® hinges. Refer to the chart to the right for dimensions.

*\*Not all edge profiles allow hinge boring. Please refer to the Outside Edge profile pages D9-10 for more information.*

The holes are bored 3" from the end of the door. Special 32mm on center alignment is available for an additional fee. Please specify locations and number of hinges in the notes field of the order form.




### Standard Hinge Placement


Door Sizes	# of Hinges	Location
12" and Under	2 Hinges	2-1/4" from end
12-1/16" to 45"	2 Hinges	3" from end
45-1/16" to 65"	3 Hinges	3" from end 1 centered
65-1/16" to 96"	4 Hinges	3" from end spaced equally

### Standard Cup Drilling Distance

All standard hinge boring is 4-1/2mm from the edge for Hettich pattern and 4-1/2mm or 2-1/2mm from the edge for Blum pattern. Custom distance is available for an additional fee. Please refer to your hinge specifications for the proper measurement. If using hinges supplied by Georgia Hardwoods, please specify on your order.




"C" = distance from edge of door to edge of cup hole



### Boring Side


You must specify the side of the door to be bored. The correct side can be determined by looking at the face of the door. Note the side to bore on the order form.

- T-Top
- B-Bottom
- L-Left
- R-Right
- N-None



Door is bored for "Left".  
Door opens to the left.

# Moulding Profiles



All mouldings are 8ft lengths MDF

# Valances


## Valances:

Built with any OE outside edge.  
 Only available with any panel profile.  
 Priced as 2, 3 or 4 panel door plus design fee.  
 No maximum individual panel width requirement.


Optional keystone center rail can be machined at an angle to accommodate a solid wood keystone block.



**VAL-M2P**  
 \$75.00 Design Fee  
 For widths between 24" to 68"



**VAL-M3P**  
 \$75.00 Design Fee  
 For widths between 48" to 102"



**VAL-M4P**  
 \$75.00 Design Fee  
 For widths between 72" to 136"


### Required Ordering Information:

- A: Width
  - B: Height
  - C: Drop From Top to Arch
  - D: Bottom Width
  - E: Center Top Width
  - F: Center Bottom Width
- See order page for more information

## Solid Slab Valances

Sold by the square foot. All drawn as 6"x 45" scale. \$35.00 Design fee.

Min Size: 4x12"



Min Size: 4x24"



Min Size: 5x18"



Min Size: 5x18"



Min Size: 5x18"



Min Size: 5x18"



Min Size: 5x18"



Min Size: 5x28"



Min Size: 4x24"



Min Size: 4x24"



# MDF/RTF Warranty

## Georgia Hardwoods RTF Information & Warranty

- Outside width and height dimension machined exact.
- Doors over 22" wide or 48" high are not guaranteed.

Georgia Hardwoods will warranty RTF doors that have been given reasonable treatment for 3 years from the date of purchase against delaminating and chipping. Our warranty covers only the replacement of defective products manufactured by Georgia Hardwoods. Georgia Hardwoods will not be liable for costs related to travel expenses, installation or labor to remove and install new products. This warranty does not apply to damages resulting from improper handling, alterations made to our doors, or inappropriate storage. Furthermore, this warranty does not cover any product used or installed in connection with our products. Our liability is limited to the net invoice price of defective doors only. No other warranties are implied or expressed.

## Reasonable Treatment Requirements:

- Doors are not to be stored in freshly plastered or damp work sites.
- RTF doors should never be left on a construction site that is open to the elements.
- RTF Doors are not to be subjected to excessive moisture or heat. High heat can cause RTF doors to delaminate. Take precautions to avoid exposure to high temperatures. Delaminating due to high heat is not warranted.
- If needed, RTF doors are to be cleaned with warm soapy water and a soft cloth followed by a dry towel. Use of abrasive cleaners or solvents will void the warranty.
- Doors must be inspected at the time of delivery. Any concerns or problems must be reported to Georgia Hardwoods immediately. Warranty claims must be inspected by a Georgia Hardwoods employee.

## Replacement Policy

Contact your salesperson within one business week of receiving defective materials. Your representative will arrange to inspect the doors. We may request the defective products be returned for inspection. If so, please repackage the doors for shipment. We will have the materials returned to us at no charge to you. In order to minimize the inconvenience to you, Georgia Hardwoods will do our best to replace any defective products as soon as possible.

## Ordering

In order to reduce errors, we highly recommend that you fax or email your orders on one of our door order forms. Once your order has been received, we will send you an acknowledgement with your specifications, sizes, completion dates and pricing. Please read through the acknowledgment completely and notify your sales representative of any changes as soon as possible. If you agree with the acknowledgement and want us to put it into production, we ask that you initial the appropriate box and send back your confirmation approval. If we do not receive your confirmation within 24 hours of placing your order, we will assume you are in agreement and we will proceed with the order as we confirmed. If you do not receive a confirmation please contact your sales representative to affirm that we have your order. Any changes must be made within 24 hours from the time your order was confirmed. Georgia Hardwoods is not responsible for any discrepancies that are not addressed at that time.

- Please order using our style names & numbers. We will not accept orders placed using a competitor's style name or number. We will gladly assist you with our style numbers and send you a current catalog.
- Order in increments of 1/16".
- Customers must give the finished sizes required.
- For new customers, a customer number will be assigned to you after we receive your basic information. Please allow a few days to set up your customer number.
- All orders written up for customers without a customer number will require a 50% deposit. All first time orders will require a 50% deposit unless credit terms have already been approved.
- The account will be COD unless our credit department approves terms. Contact your salesperson for a credit application or for a COD set up form.

# Shipping

## Shipping

Orders that meet the minimum amount are delivered at no charge on our trucks within our regular delivery area. Contact your sales representative for details. Orders outside of our delivery range are shipped LTL or UPS. There is a \$.15 per square foot handling / packaging charge on all orders plus a \$35.00 crating fee.

Shipping calculated based on order totals. Please see the chart below to determine the percentage of the order total to determine the shipping charge.

Order Totals			Shipping Charge
0	to	\$900	24%
\$901	to	\$1199	21%
\$1200	to	\$1999	19%
\$2000	to	\$2999	16%
\$3000	to	\$5999	13%
\$6000	to	+	10%

## Damage claims

- Be sure to inspect all packaging at the time of delivery. If there is no visible damage to the packaging note "Subject to inspection for internal damage" on the freight bill.
- If the packaging looks to be damaged even slightly, note it in detail on the freight bill. If the packaging looks to be compromised, it would be prudent, if at all possible, to open the crate and inspect the doors before the driver leaves. Note any visible damage on the freight bill.
- Notify Georgia Hardwoods immediately of any damage. Damaged products will be replaced as quickly as possible at no charge.
- Georgia Hardwoods will handle filing the damage claims. Please notify us as soon as possible. Claims must be filed with the carriers within 10 days. The carrier may require inspection of the damaged order. Please keep the doors in the original packaging until an onsite inspection is complete. The carrier may choose to pick-up the doors for inspection at their terminal or our facility.
- We do not guarantee the condition of any UPS shipments.



**Georgia  
Hardwoods Inc**  
3061 Verona Ave • Buford, GA

(770) 932-0640 • (800) 992-6426

**TAFISA DOOR**

**QUOTE ONLY**

doorshop@gahwd.com

Phone: \_\_\_\_\_

Order: \_\_\_\_\_

Acct#: \_\_\_\_\_

Fax: \_\_\_\_\_

Date: \_\_\_\_\_

Job/PO: \_\_\_\_\_

Email: \_\_\_\_\_

Sales Rep: \_\_\_\_\_

ALLOW 1-2 DAYS FOR DELIVERY \$300 MINIMUM FOR DELIVERY *circle* VAN LUM UPS CPU LTL

Hinge Boring: Blum 4.5mm+Dowel Blum 2.5mm+Dowel Hettich+Dowel 35mm No Dowel

Finger Pulls: FP-10 FP-20

<b>MDF:</b> <input type="checkbox"/> White Back / Tafisa Front: _____ <input type="checkbox"/> Tafisa Back + Front: _____ <input type="checkbox"/> Other Back _____ / Egger Front: _____	<b>Door Style:</b> _____ <b>Panel Profile:</b> RP/DP- _____ <b>Edge Profile:</b> OE- _____	<b>Drawerfronts</b> <input type="checkbox"/> Slab OE- _____ <input type="checkbox"/> Raised Panel: RP/DP- _____
---	--	---

Qty	Width	Height	Notes	Qty	Width	Height	Notes	Qty	Width	Height	Notes
1				1				1			
2				2				2			
3				3				3			
4				4				4			
5				5				5			
6				6				6			
7				7				7			
8				8				8			
9				9				9			
10				10				10			
11				11				11			
12				12				12			
13				13				13			
14				14				14			
15				15				15			
16				16				16			
17				17				17			
18				18				18			
19				19				19			
20				20							
21				21							
22				22							
23				23							

Total Drawer Fronts \_\_\_\_\_

Faxed By: \_\_\_\_\_

Date/Time: \_\_\_\_\_

Initial if Correct: \_\_\_\_\_

doorshop@gahwd.com

CONFIRMATIONS NOT RETURNED WITHIN  
24 HOURS WILL BE CONSIDERED CORRECT.

Total Doors \_\_\_\_\_

Total Doors \_\_\_\_\_